

SIGNETICS INTEGRATED CIRCUITS



PRICE LIST

Effective May 8, 1967

 **SIGNETICS CORPORATION**
811 EAST ARQUES AVENUE, SUNNYVALE, CALIFORNIA

CATALOG
NUMBER

DESCRIPTION

Single Type
100 — 999

100 — 999†

25 — 99†

1 — 24

I COMPATIBLE DTL ELEMENTS (-55°C to +125°C)
IN 10-LEAD TO-5

SE101K	4-Input NAND/NOR Gate*		\$ 11.95	\$ 13.15	\$ 15.00
SE102K	3-Input NAND/NOR Gate*		11.75	12.90	14.70
SE105K	6-Input Gate Expander		8.45	9.30	10.50
SE110K	3-Input High Fan-Out NAND/NOR Gate*		12.45	14.60	16.55
SE113K	Dual 3-Input High Fan-Out NAND/NOR Gate		12.45	14.60	16.55
SE115K	Dual 2-Input NAND/NOR Gate		12.45	14.60	16.55
SE124K	RST Binary Element		13.45	16.15	20.20
SE150K	2-Input CLOCK/CAPACITIVE Line Driver		12.95	14.90	17.20
SE157K	Dual 3-Input CLOCK/CAPACITIVE Line Driver		12.95	14.90	17.20
SE160K	One-Shot Multivibrator*		38.50	46.00	57.50
SE161K	One-Shot Multivibrator		48.00	57.50	72.00
SE181K	Quadruple Inverter		13.45	16.15	20.20
CS700K	Dual 3-2-Input NAND/NOR Gate		12.95	14.90	17.20
CS701K	Dual 3-2-Input NAND/NOR Gate		12.95	14.90	17.20
CS704K	RST Binary Element		13.95	16.70	21.00
CS705K	Dual 3-Input AND Gate		9.75	11.20	13.00
CS709K	Dual 3-Input Gate Expander		5.55	6.65	8.30
CS715K	Dual 2-Input CLOCK/CAPACITIVE Line Driver*		13.45	16.10	20.00
CS716K	Dual 2-Input High Fan-Out NAND/NOR Gate*		12.95	15.60	19.50

II COMPATIBLE DTL ELEMENTS (0°C to +70°C)
IN 10-LEAD TO-5

NE101K	4-Input NAND/NOR Gate*	\$ 4.05	4.25	4.65	5.30
NE102K	3-Input NAND/NOR Gate*	4.05	4.25	4.65	5.30
NE105K	6-Input Gate Expander	3.10	3.25	3.55	4.05
NE110K	3-Input High Fan-Out NAND/NOR Gate*	4.45	4.65	5.10	5.80
NE113K	Dual 3-Input High Fan-Out NAND/NOR Gate	6.40	6.75	7.45	8.45
NE115K	Dual 2-Input NAND/NOR Gate	4.30	4.50	4.95	5.60
NE124K	RST Binary Element	6.60	6.95	7.65	8.70
NE150K	2-Input CLOCK/CAPACITIVE Line Driver	4.55	4.80	5.30	6.00
NE157K	Dual 3-Input CLOCK/CAPACITIVE Line Driver	6.40	6.75	7.45	8.45
NE160K	One-Shot Multivibrator*	18.95	19.95	21.95	24.95
NE161K	One-Shot Multivibrator	N 23.70	24.90	27.45	31.20
NE181K	Quadruple Inverter	5.75	6.05	6.90	8.60
NS700K	Dual 3-2-Input NAND/NOR Gate	4.45	4.65	5.10	5.80
NS701K	Dual 3-2-Input NAND/NOR Gate	4.45	4.65	5.10	5.80
NS716K	Dual 2-Input High Fan-Out NAND/NOR Gate*	N 6.40	6.75	7.45	8.45

III COMPATIBLE DTL ELEMENTS (-55°C to +125°C)
IN 10-LEAD FLAT PACK (Also available 0°C to +70°C)**

SE101G **	4-Input NAND/NOR Gate*		13.45	14.80	16.80
SE102G **	3-Input NAND/NOR Gate*		13.25	14.55	16.55
SE105G **	6-Input Gate Expander		9.95	11.00	12.40
SE110G **	3-Input High Fan-Out NAND/NOR Gate*		13.95	16.00	18.60
SE115G **	Dual 2-Input NAND/NOR Gate		13.95	16.00	18.60
SE124G **	RST Binary Element		14.95	18.00	22.40
SE150G **	2-Input CLOCK/CAPACITIVE Line Driver		14.45	16.60	19.15
SE160G **	One-Shot Multivibrator*		39.95	48.00	59.90
CS700G **	Dual 3-2-Input NAND/NOR Gate		14.45	16.60	19.15
CS701G **	Dual 3-2-Input NAND/NOR Gate		14.45	16.60	19.15
CS704G	RST Binary Element		15.45	18.50	23.20
CS705G	Dual 3-Input AND Gate		11.25	12.90	15.00
CS709G	Dual 3-Input AND Gate		7.05	8.40	10.50

IV COMPATIBLE DTL ELEMENTS (-55°C to +125°C)
IN 14-LEAD FLAT PACK

SE106J	Dual 5-Input Gate Expander	4.85	5.10	5.70	7.30
SE111J	Dual 4-Input High Fan-Out NAND/NOR Gate	10.20	10.80	12.25	15.50
SE112J	Dual 3-Input High Fan-Out NAND/NOR Gate*	10.20	10.80	12.25	15.50
SE116J	Dual 4-Input NAND/NOR Gate*	8.90	9.40	10.70	13.35
SE124J	RST Binary Element	11.90	12.50	14.30	17.85
SE125J	J-K Binary Element	13.20	13.90	15.80	19.80
SE155J	Dual 4-Input CLOCK/CAPACITIVE Line Driver	10.20	10.80	12.25	15.50
SE156J	Dual 4-Input CLOCK/CAPACITIVE Line Driver*	10.20	10.80	12.25	15.50
SE161J	One-Shot Multivibrator	39.95	40.20	48.00	59.90
SE170J	Triple 3-Input NAND/NOR Gate	9.90	10.40	11.90	14.80
SE180J	Quadruple 2-Input NAND/NOR Gate	9.90	10.40	11.90	14.80
CS720J	Quadruple 2-Input NAND/NOR Gate	10.40	10.95	12.50	15.60
CS721J	Triple 3-Input NAND/NOR Gate	10.40	10.95	12.50	15.60
CS727J	Triple 2-Input NAND/NOR Gate*	10.40	10.95	12.50	15.60
CS729J	RST Binary Element	12.40	13.10	14.90	18.60
CS730J	Dual 5-Input NAND/NOR Gate	9.40	9.90	11.25	14.10
CS731J	Quadruple 2-Input Gate Expander	5.35	5.65	6.40	8.00
CS732J	12-Input Gate Expander	5.35	5.65	6.40	8.00

V COMPATIBLE DTL ELEMENTS (0°C to +70°C)
IN 14-LEAD FLAT PACK

NE106J	Dual 5-Input Gate Expander	3.40	3.60	4.10	5.10
NE112J	Dual 3-Input High Fan-Out NAND/NOR Gate*	5.10	5.40	6.15	7.65
NE116J	Dual 4-Input NAND/NOR Gate*	4.35	4.60	5.20	6.55
NE124J	RST Binary Element	6.95	7.35	8.35	10.40
NE125J	J-K Binary Element	7.70	8.10	9.25	11.55
NE156J	Dual 4-Input CLOCK/CAPACITIVE LINE Driver*	5.10	5.40	6.15	7.65
NE161J	One-Shot Multivibrator	17.45	18.40	21.00	26.10
NE170J	Triple 3-Input NAND/NOR Gate	4.95	5.20	5.95	7.45
NE180J	Quadruple 2-Input NAND/NOR Gate	4.95	5.20	5.95	7.45

CATALOG
NUMBER

DESCRIPTION

Single Type
100 — 999

100 — 999†

25 — 99†

1 — 24

VI COMPATIBLE DTL ELEMENTS (0°C to +70°C)
IN 14-LEAD DUAL IN-LINE PACK

NE106A	Dual 5-Input Gate Expander	\$ 3.10	\$ 3.25	\$ 3.70	\$ 4.50
NE112A	Dual 3-Input High Fan-Out NAND/NOR Gate*	4.60	4.85	5.55	6.85
NE116A	Dual 4-Input NAND/NOR Gate*	3.90	4.15	4.70	5.90
NE124A	RST Binary Element	4.60	4.85	5.55	6.85
NE125A	J-K Binary Element	5.90	6.20	7.10	8.45
NE156A	Dual 4-Input CLOCK/CAPACITIVE Line Driver*	4.60	4.85	5.55	6.85
NE161A	One-Shot Multivibrator	15.70	16.50	19.00	23.40
NE170A	Triple 3-Input NAND/NOR Gate	3.90	4.15	4.70	5.90
NE180A	Quadruple 2-Input NAND/NOR Gate	3.90	4.15	4.70	5.90

VII UTILOGIC ELEMENTS (-20°C to +85°C)
IN 10-LEAD TO-5

SU300K	Dual 3-Input Gate Expander		\$ 5.25	\$ 6.30	\$ 7.35
SU305K	6-Input AND Gate		5.85	6.95	8.20
SU306K	Dual 3-Input AND Gate		5.85	6.95	8.20
SU314K	7-Input NOR Gate		5.85	6.95	8.20
SU315K	Dual 3-Input NOR Gate		5.85	6.95	8.20
SU316K	Dual 2-Input NOR Gate*		5.85	6.95	8.20
SU320K	J-K Binary Element		9.50	11.40	13.30
SU331K	Dual 2-Input OR Gate*		5.85	6.95	8.20
SU332K	Dual 3-Input OR Gate		5.85	6.95	8.20

VIII UTILOGIC ELEMENTS (-20°C to +85°C)
IN 10-LEAD FLAT PACK

SU300G	Dual 3-Input Gate Expander		7.25	8.70	10.15
SU305G	6-Input AND Gate		7.85	9.35	11.00
SU306G	Dual 3-Input AND Gate		7.85	9.35	11.00
SU314G	7-Input NOR Gate		7.85	9.35	11.00
SU315G	Dual 3-Input NOR Gate		7.85	9.35	11.00
SU316G	Dual 2-Input NOR Gate*		7.85	9.35	11.00
SU320G	J-K Binary Element		11.50	13.80	16.10
SU331G	Dual 2-Input OR Gate*		7.85	9.35	11.00
SU332G	Dual 3-Input OR Gate		7.85	9.35	11.00

IX UTILOGIC ELEMENTS (+10°C to +55°C)
IN 10-LEAD TO-5

LU300K	Dual 3-Input Gate Expander	\$ 2.45	2.60	2.70	3.15	3.90
LU305K	6-Input AND Gate	2.65	2.80	2.95	3.35	4.20
LU306K	Dual 3-Input AND Gate	2.65	2.80	2.95	3.35	4.20
LU314K	7-Input NOR Gate	2.65	2.80	2.95	3.35	4.20
LU315K	Dual 3-Input NOR Gate	2.65	2.80	2.95	3.35	4.20
LU316K	Dual 2-Input NOR Gate*	2.65	2.80	2.95	3.35	4.20
LU320K	J-K Binary Element	3.55	3.75	3.95	4.50	5.55
LU331K	Dual 2-Input OR Gate*	2.65	2.80	2.95	3.35	4.20
LU332K	Dual 3-Input OR Gate	2.65	2.80	2.95	3.35	4.20
NE855K	Dual 4-Input NAND Power Gate	5.70	6.00	6.30	7.20	9.00

X COMPATIBLE LOW-POWER ELEMENTS (-55°C to +125°C)
IN 14-LEAD FLAT PACK

SE416J	Dual 4-Input NAND/NOR Gate*	14.95	15.80	17.95	22.50
SE417J	Dual 3-Input NAND/NOR Gate*	14.95	15.80	17.95	22.50
SE424J	Dual AC Binary Element	20.00	21.00	24.00	30.00
SE440J	Dual Exclusive-OR Gate	15.45	16.25	18.55	23.20
SE455J	Dual 4-Input BUFFER/DRIVER	15.45	16.25	18.55	23.20
SE480J	Quadruple 2-Input NAND/NOR Gate	15.45	16.25	18.55	23.20

XI COMPATIBLE LOW-POWER ELEMENTS (0°C to +70°C)
IN 14-LEAD FLAT PACK

NE416J	Dual 4-Input NAND/NOR Gate*	7.50	7.90	9.00	11.25
NE417J	Dual 3-Input NAND/NOR Gate*	7.50	7.90	9.00	11.25
NE424J	Dual AC Binary Element	10.00	10.50	12.00	15.00
NE440J	Dual Exclusive-OR Gate	8.00	8.40	9.60	12.00
NE455J	Dual 4-Input BUFFER/DRIVER	8.00	8.40	9.60	12.00
NE480J	Quadruple 2-Input NAND/NOR Gate	8.00	8.40	9.60	12.00

XII COMPATIBLE LOW-POWER ELEMENTS (0°C to +70°C)
IN 14-LEAD DUAL IN-LINE PACK

NE416A	Dual 4-Input NAND/NOR Gate*	4.20	4.40	5.35	6.60
NE417A	Dual 3-Input NAND/NOR Gate*	4.20	4.40	5.35	6.60
NE424A	Dual AC Binary Element	8.00	8.40	9.60	12.00
NE440A	Dual Exclusive-OR Gate	4.20	4.40	5.35	6.60
NE455A	Dual 4-Input BUFFER/DRIVER	4.20	4.40	5.35	6.60
NE480A	Quadruple 2-Input NAND/NOR Gate	4.20	4.40	5.35	6.60

XIII COMPATIBLE LOW-POWER ELEMENTS (+15°C to +55°C)
IN 14-LEAD DUAL IN-LINE PACK

SP416A	Dual 4-Input NAND/NOR Gate*	† 1.40	1.45	1.50	1.75	2.20
SP417A	Dual 3-Input NAND/NOR Gate*	† 1.40	1.45	1.50	1.75	2.20
SP424A	Dual AC Binary Element	† 4.45	4.70	4.95	5.65	7.05
SP440A	Dual Exclusive-OR Gate	† 1.50	1.60	1.70	1.95	2.45
SP455A	Dual 4-Input BUFFER/DRIVER	† 1.50	1.60	1.70	1.95	2.45
SP480A	Quadruple 2-Input NAND/NOR Gate	† 1.40	1.45	1.50	1.75	2.20

CATALOG NUMBER	DESCRIPTION	Single Type				
		1000 — 4999†	100 — 999	100 — 999†	25 — 99†	1 — 24
XIV COMPATIBLE LOW-POWER ELEMENTS (0°C to +70°C)						
IN 14-LEAD DUAL IN-LINE PACK						
ST416A	Dual 4-Input NAND/NOR Gate*	‡ \$ 1.45	\$ 1.50	\$ 1.55	\$ 1.80	\$ 2.25
ST417A	Dual 3-Input NAND/NOR Gate*	‡ 1.45	1.50	1.55	1.80	2.25
ST424A	Dual AC Binary Element	‡ 4.50	4.75	5.00	5.70	7.10
ST440A	Dual Exclusive-OR Gate	‡ 1.55	1.65	1.75	2.00	2.50
ST455A	Dual 4-Input BUFFER/DRIVER	‡ 1.55	1.65	1.75	2.00	2.50
ST480A	Quadruple 2-Input NAND/NOR Gate	‡ 1.45	1.50	1.55	1.80	2.25
XV LINEAR CIRCUITS (-55°C to +125°C)						
IN 10-LEAD TO-5						
SE500K	Gated Sense Amplifier		15.00	15.75	18.00	22.50
SE501K	Video Amplifier	‡	15.60	16.40	18.70	23.40
SE504K	Gated Sense Amplifier		15.00	15.75	18.00	22.50
SE505K	General Purpose Differential Amplifier		15.00	15.75	18.00	22.50
SE506K	Differential Operational Amplifier		35.00	36.75	42.00	52.50
SE518K	Analog Comparator	‡	11.25	11.80	13.50	16.90
XVI LINEAR CIRCUITS (-55°C to +125°C)						
IN 10-LEAD FLAT PACK						
SE500G	Gated Sense Amplifier		17.00	17.85	20.50	25.50
SE501G	Video Amplifier	‡	17.60	18.50	21.10	26.40
SE504G	Gated Sense Amplifier		17.00	17.85	20.50	25.50
SE505G	General Purpose Differential Amplifier		17.00	17.85	20.50	25.50
SE506G	Differential Operational Amplifier		37.00	38.75	44.00	54.50
SE518G	Analog Comparator	‡	13.25	13.90	15.90	19.90
XVII LINEAR CIRCUITS (0°C to +70°C)						
IN 10-LEAD TO-5						
NE500K	Gated Sense Amplifier		7.50	7.90	9.00	11.25
NE501K	Video Amplifier	‡	6.00	6.30	7.20	9.00
NE504K	Gated Sense Amplifier		7.50	7.90	9.00	11.25
NE505K	General Purpose Differential Amplifier		7.50	7.90	9.00	11.25
NE506K	Differential Operational Amplifier		17.50	18.50	21.00	26.25
NE518K	Analog Comparator	‡	4.75	5.00	5.75	7.15
XVIII COMPATIBLE DTL ELEMENTS (+15°C to +55°C)						
IN 14-LEAD DUAL IN-LINE PACK						
SP616A	Dual 4-Input NAND/NOR Gate*	1000 — 4999† \$ 1.10	1.15	1.20	1.40	1.75
SP620A	J-K Binary Element	2.20	2.30	2.40	2.75	3.45
SP629A	RST Binary Element	2.20	2.30	2.40	2.75	3.45
SP631A	Quadruple 2-Input Gate Expander	.95	1.00	1.05	1.20	1.50
SP659A	Dual 4-Input CLOCK/CAPACITIVE Driver*	1.20	1.30	1.40	1.55	1.95
SP670A	Triple 3-Input NAND/NOR Gate	1.20	1.30	1.40	1.55	1.95
SP680A	Quadruple 2-Input NAND/NOR Gate	1.20	1.30	1.40	1.55	1.95
XIX COMPATIBLE DTL ELEMENTS (0°C to +70°C)						
IN 14-LEAD DUAL IN-LINE PACK						
ST616A	Dual 4-Input NAND/NOR Gate*	1.15	1.20	1.25	1.45	1.80
ST620A	J-K Binary Element	2.25	2.35	2.50	2.80	3.50
ST629A	RST Binary Element	2.25	2.35	2.50	2.80	3.50
ST631A	Quadruple 2-Input Gate Expander	1.00	1.05	1.10	1.25	1.55
ST659A	Dual 4-Input CLOCK/CAPACITIVE Driver*	1.25	1.35	1.45	1.60	2.00
ST670A	Triple 3-Input NAND/NOR Gate	1.25	1.35	1.45	1.60	2.00
ST680A	Quadruple 2-Input NAND/NOR Gate	1.25	1.35	1.45	1.60	2.00
XX COMPATIBLE TTL ELEMENTS (-55°C to +125°C)						
IN 14-LEAD FLAT PACK						
SE806J	Dual 4-Input Gate Expander		7.00	7.50	8.40	10.40
SE808J	Single 8-Input NAND Gate		8.90	9.40	10.70	13.35
SE816J	Dual 4-Input NAND Gate		8.90	9.40	10.70	13.35
SE825J	J-K Binary Element		13.20	13.90	15.80	19.80
SE826J	Dual AC Binary Element		20.00	21.00	24.00	30.00
SE840J	Dual Exclusive-OR Gate*		9.60	10.20	11.40	14.20
SE855J	Dual 4-Input Power Gate		10.20	10.80	12.25	15.50
SE870J	Triple 3-Input NAND Gate		9.90	10.40	11.90	14.80
SE880J	Quadruple 2-Input NAND Gate		9.90	10.40	11.90	14.80

MINIMUM CHARGE ON FACTORY ORDERS, \$25.00. YOUR LOCAL DISTRIBUTOR, LISTED ON THE BACK PAGE, CAN PROVIDE FASTEST DELIVERY ON THE FOLLOWING QUANTITIES AND TYPES: (1) UP TO 4999 PIECES FOR ALL SP/ST SERIES PRODUCTS, (2) UP TO 2499 PIECES FOR ITEMS WITH LU PREFIXES, (3) UP TO 999 PIECES OF ALL OTHER TYPES.

REFERENCE N New product.
SYMBOLS: ‡ Price decrease effective on date of this list.
† Elements within any single group on this list may be mixed on a single order to obtain the maximum applicable quantity discount. Mixprivileges do not apply on orders calling for elements from more than one group.
* Element incorporates fan-in expansion provision.
** Functional equivalent of this element guaranteed for 0°C to +70°C operation is available. Query nearest Signetics Representative or Distributor for current price and delivery information.

Prices: These prices supersede all previous prices and are subject to change without notice.
Terms: Net 30 days, F.O.B. Sunnyvale, California.

CATALOG NUMBER	DESCRIPTION	Single Type			
		100 — 999	100 — 999†	25 — 99†	1 — 24
XXI COMPATIBLE TTL ELEMENTS (0°C to +70°C)					
IN 14-LEAD FLAT PACK					
NE806J	Dual 4-Input Gate Expander	\$ 3.50	\$ 3.80	\$ 4.20	\$ 5.20
NE808J	Single 8-Input NAND Gate	4.35	4.60	5.20	6.55
NE816J	Dual 4-Input NAND Gate	4.35	4.60	5.20	6.55
NE825J	J-K Binary Element	7.70	8.10	9.25	11.55
NE826J	Dual AC Binary Element	10.00	10.50	12.00	15.00
NE840J	Dual Exclusive-OR Gate*	4.80	5.10	5.70	7.10
NE855J	Dual 4-Input Power Gate	5.10	5.40	6.15	7.65
NE870J	Triple 3-Input NAND Gate	4.95	5.20	5.95	7.45
NE880J	Quadruple 2-Input NAND Gate	4.95	5.20	5.95	7.45
XXII COMPATIBLE TTL ELEMENTS (+15°C to +55°C)					
IN 14-LEAD DUAL IN-LINE PACK					
		<u>1000 — 4999†</u>			
SP806A	Dual 4-Input Gate Expander	1.10	1.15	1.20	1.85
SP808A	Single 8-Input NAND Gate	1.40	1.45	1.50	2.20
SP816A	Dual 4-Input NAND Gate	1.40	1.45	1.50	2.20
SP825A	J-K Binary Element	2.45	2.60	2.70	4.00
SP826A	Dual AC Binary Element	4.45	4.70	4.95	7.05
SP828A	Dual "D" Flip-Flop	3.45	3.60	3.80	5.60
SP840A	Dual Exclusive-OR Gate*	1.50	1.60	1.70	2.45
SP855A	Dual 4-Input Power Gate	1.50	1.60	1.70	2.45
SP870A	Triple 3-Input NAND Gate	1.40	1.45	1.50	2.20
SP880A	Quadruple 2-Input NAND Gate	1.40	1.45	1.50	2.20
XXIII COMPATIBLE TTL ELEMENTS (0°C to +70°C)					
IN 14-LEAD DUAL IN-LINE PACK					
ST806A	Dual 4-Input Gate Expander	1.10	1.15	1.20	1.85
ST808A	Single 8-Input NAND Gate	1.45	1.50	1.55	2.25
ST816A	Dual 4-Input NAND Gate	1.45	1.50	1.55	2.25
ST825A	J-K Binary Element	2.50	2.65	2.75	4.05
ST826A	Dual AC Binary Element	4.50	4.75	5.00	7.10
ST828A	Dual "D" Flip-Flop	3.50	3.65	3.85	5.65
ST840A	Dual Exclusive-OR Gate*	1.55	1.65	1.75	2.50
ST855A	Dual 4-Input Power Gate	1.55	1.65	1.75	2.50
ST870A	Triple 3-Input NAND Gate	1.45	1.50	1.55	2.25
ST880A	Quadruple 2-Input NAND Gate	1.45	1.50	1.55	2.25
XXIV COMPATIBLE TTL ELEMENTS (0°C to +70°C)					
IN 14-LEAD DUAL IN-LINE PACK					
NE806A	Dual 4-Input Gate Expander	3.35	3.50	4.20	5.25
NE808A	Single 8-Input NAND Gate	3.65	3.85	4.60	5.75
NE816A	Dual 4-Input NAND Gate	3.65	3.85	4.60	5.75
NE825A	J-K Binary Element	5.70	6.00	7.20	9.00
NE826A	Dual AC Binary Element	10.00	10.50	12.00	15.00
NE840A	Dual Exclusive-OR Gate*	4.20	4.40	5.35	6.60
NE855A	Dual 4-Input Power Gate	4.20	4.40	5.35	6.60
NE870A	Triple 3-Input NAND Gate	4.20	4.40	5.35	6.60
NE880A	Quadruple 2-Input NAND Gate	4.20	4.40	5.35	6.60
XXV COMPATIBLE MONOLITHIC SUB-SYSTEMS (0°C to +70°C)					
IN 14-LEAD DUAL IN-LINE PACK					
S1280A	Decade Counter Unit	14.40	16.00	19.20	24.00
S1281A	Binary Counter Unit	14.40	16.00	19.20	24.00
XXVI COMPATIBLE TTL HIGH-SPEED LOW-POWER ELEMENTS (-55°C to +125°C)					
IN 14-LEAD FLAT PACK					
S8280J	Decade Counter	32.70	34.30	39.30	49.00
S8281J	Binary Counter	32.70	34.30	39.30	49.00
S8416J	Dual 4-Input NAND/NOR Gate*	4.40	4.60	5.30	6.60
S8417J	Dual 3-Input NAND/NOR Gate*	4.40	4.60	5.30	6.60
S8424J	Dual AC Binary Element	8.75	9.20	10.50	13.10
S8440J	Dual Exclusive-OR Gate	4.40	4.60	5.30	6.60
S8455J	Dual 4-Input BUFFER/DRIVER	5.35	5.60	6.40	8.00
S8480J	Quadruple 2-Input NAND/NOR Gate	4.40	4.60	5.30	6.60
S8806J	Dual 4-Input Gate Expander	4.00	4.20	4.80	6.00
S8808J	Single 8-Input NAND Gate	4.40	4.60	5.30	6.60
S8816J	Dual 4-Input NAND Gate	4.40	4.60	5.30	6.60
S8825J	J-K Binary Element	7.05	7.30	8.45	10.60
S8826J	Dual AC Binary Element	8.75	9.20	10.50	13.10
S8828J	Dual "D" Flip-Flop	8.40	8.80	10.30	12.90
S8840J	Dual Exclusive-OR Gate*	4.40	4.60	5.30	6.60
S8855J	Dual 4-Input Power Gate	4.85	5.10	5.80	7.30
S8870J	Triple 3-Input NAND Gate	4.40	4.60	5.30	6.60
S8880J	Quadruple 2-Input NAND Gate	4.40	4.60	5.30	6.60
XXVII DUMMY INTEGRATED CIRCUIT PACKAGES					
(Minimum quantity of 50 pieces)					
		<u>50 Up</u>			
J (TO-88)	14-Lead Dummy Flat Package	\$.25			
G (TO-91)	10-Lead Dummy Flat Package	.25			
K (TO-100)	10-Lead Dummy Package	.15			
A (TO-116)	14-Lead Dummy Dual In-Line Package	.15			



AUTHORIZED SIGNETICS REPRESENTATIVES AND DISTRIBUTORS

DOMESTIC DISTRIBUTORS AND REPRESENTATIVES

ALABAMA

Compar Southern, 904 Bob Wallace Ave., Room 114, Huntsville, Alabama
Phone: (205) 539-8476

ARIZONA

Compar Rocky Mountain, 84 West 1st Street, Scottsdale, Arizona
Phone: (602) 947-4336; TWX: (910) 950-1293

CALIFORNIA

Compar Los Angeles, 434 West Colorado Blvd., Glendale, California
Phone: (213) 245-1172; TWX: (910) 497-2277

Compar San Francisco, 1817 Bayshore Highway, Burlingame, California
Phone: (415) 697-6244; TWX: (910) 375-3335

Jack Pyle Company, 1611 Borel Place, San Mateo, California
Phone: (415) 349-1266; TWX: (710) 374-2354

Wesco Electronics, 2620 E. Walnut Street, Pasadena, California
Phone: (213) 684-0880; TWX: (910) 588-3274

Wesco Electronics, 3973 East Bayshore Road, Palo Alto, California
Phone: (405) 968-3475

COLORADO

Compar Rocky Mountain, 300 East Hampden Ave., Denver (Englewood), Colorado
Phone: (303) 781-0912; TWX: (303) 789-2418

CONNECTICUT

Compar New England, 2341 Whitney Avenue, Hamden, Connecticut
Phone: (203) 288-9276; TWX: (203) 772-0439

DISTRICT OF COLUMBIA

(SEE BALTIMORE, MARYLAND)

FLORIDA

Compar Florida, P. O. Box 13109, Orlando, Florida
Phone: (305) 855-3964; TWX: (305) 841-3302

ILLINOIS

Compar Chicagoland, 6322 N. Milwaukee Avenue, Chicago 46, Illinois
Phone: (312) 775-5300; TWX: (910) 221-0999

Semiconductor Specialists, Inc., 5700 West North Avenue, Chicago, Illinois
Phone: (312) 622-8860; TWX: (910) 221-1333

MARYLAND

Compar Chesapeake, Pikesville Professional Building, 7 Church Lane
Baltimore 15, Maryland
Phone: (301) 484-5400; TWX: (710) 862-0860

MASSACHUSETTS

Compar New England, 88 Newton Street, Newton Highlands, Massachusetts
Phone: (617) 969-7140; TWX: (710) 335-1686

MICHIGAN

Compar Chicagoland, 19831 Purling Brook, Box 122, N. E. Station, Livonia, Mich.
Phone: (313) 476-5758

MINNESOTA

Compar Twin Cities, P. O. Box 8095, Minneapolis, Minnesota
Phone: (612) 922-7011

MISSOURI

Compar Ozark, 2573 Woodson Road, St. Louis 2, Missouri
Phone: (314) 428-5313

NEW JERSEY

Compar Philadelphia, 15 Potter Street, Haddonfield, New Jersey
Phone: (609) 429-1526; TWX: (710) 896-0679

NEW MEXICO

Compar Rocky Mountain, 2125 San Mateo, N. E., Albuquerque, New Mexico
Phone: (505) 265-1020; TWX: (910) 989-1659

NEW YORK

Compar Albany, 419 Central Avenue, Albany 6, New York
Phone: (518) 436-8536; TWX: (710) 441-8224

Compar Albany, 530 Verna Drive, Endwell, New York
Phone: (607) 723-8743

NEW YORK (Continued)

Compar Albany, 570 French Road, Depew, New York
Phone: (716) 684-5731

Compar New York, 730 Clifton Avenue, Clifton, New Jersey
Phone: (201) 471-6090; TWX: (710) 484-4815

Terminal Hudson Electronics (Distributors), 236 West 17th St., New York, N. Y.
Phone: (212) 243-5200; TWX: (710) 581-3962

NORTH CAROLINA

Compar Southern, 1106 Burke St., Winston Salem, North Carolina
Phone: (919) 724-0750; TWX: (510) 931-3101

OHIO

Compar Ohio, P. O. Box 4791, Fairview Park, Ohio
Phone: (216) 333-4120

Compar Ohio, 16 South Broad Street, Fairborn, Ohio
Phone: (513) 878-2631

PENNSYLVANIA

Philadelphia (SEE HADDONFIELD, NEW JERSEY)
Western Pennsylvania (SEE COMPAR OHIO, FAIRBORN)

TEXAS

Compar Southwest, 8609 Northwest Plaza Blvd., Dallas 18, Texas
Phone: (214) EM 3-1526; TWX: (910) 861-4249

Compar Southwest, 7007 Gulf Freeway
P. O. Box 12583, Houston, Texas
Phone: (713) 649-5756

WASHINGTON AND OREGON

Compar Northwest, 6133 Maynard Ave. So., Seattle, Washington
Phone: (206) 725-7800

SIGNETICS SALES OFFICES

Eastern Regional Sales Office, 591 North Avenue, Wakefield, Massachusetts
Phone: (617) 245-8200; TWX: (710) 348-6711

Metropolitan New York Sales Office, 129 W. Mount Pleasant Avenue
Livingston, New Jersey
Phone: (201) 992-3980; TWX: (710) 994-4860

Middle Atlantic Sales Office, P. O. Box 254 Collingswood, New Jersey
Phone: (609) 858-2864

Upper New York State Sales Office, 11 Maxwell Court, Syracuse, New York
Phone: (315) 469-1072

Southeastern Sales Office, 3267 San Mateo, Clearwater, Florida
Phone: (813) 726-3734; TWX: (810) 866-0437

Southwest Sales Office, 777 South Central Expressway, Richardson, Texas
Phone: (214) 231-6344

Mid-Western Regional Sales Office, 4902 Tollview Drive, Rolling Meadows, Illinois
Phone: (312) 259-8300; TWX: (910) 687-0765

Western Regional Sales Office, 120 South Lasky Drive, Beverly Hills, California
Phone: (213) 272-9421; TWX: (910) 490-2613

Northwestern Sales Office, 811 East Arques Avenue, Sunnyvale, California
Phone: (408) 738-2710; TWX: (910) 339-9220

SIGNETICS INTERNATIONAL SALES OFFICES

FRANCE, GERMANY, ITALY, BELGIUM, HOLLAND, LUXEMBOURG, SPAIN
Sovcor Electronique, 11, Chemin de Ronde, Le Vesinet, (S.-&O.) France

UNITED KINGDOM, IRELAND, SWEDEN, DENMARK, NORWAY,
SWITZERLAND, AUSTRIA, PORTUGAL

Electrosil Ltd., Lakeside Estate, Colnbrook-By-Pass
Slough, Buckinghamshire, Great Britain

AUSTRALIA

Corning, 1202 Plaza Building, Australia Square, Sydney, N.S.W.
Phone: 27-4318; TWX: "CORNGLAS" Sydney

CANADA

Corning Glass Works of Canada, Ltd., Leaside Plant, Ontario, Canada
Phone: (416) 421-1500; TWX: (610) 491-2155

ISRAEL

Optronix, P. O. Box 195, Ramat-Gan, Israel
Phone: 724-437

JAPAN

ASAHI Glass Co., Ltd. (IWAKI), Corning Products Sales Dept.
No. 2, 3-Chome, Marunouchi, Chiyoda-ku, Tokyo, Japan



SIGNETICS CORPORATION • 811 EAST ARQUES AVENUE, SUNNYVALE CALIFORNIA • TEL: (408) 739-7700 • TWX: (910) 339-9220