












Taste S1-S50




von unten




von
3FT Blatt 2






S8
2
S23
2
S45
2
S19
2
S18
2




Freq Anzeige





Status-
Anzeige


Freq Anzeige


BIB-
Anlage





















IS - Nr.	PIW	PI
5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 26, 33, 35		14
34		16
11		16
10, 24, 27		20
31		1
3		2
4, 18, 19, 20, 21, 25		
29, 30		
23, 28, 32		
17		1
1	14	
2	16	





IS.-Nr.	PIN	PIN	PIN	PIN	PIN	PIN	PIN
5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 26, 33, 35		14			7		
34		16			8		
11		16			7, 8		
10, 24, 27		20			10		
31		17			1,5		
3		24			12		
4, 18, 19, 20, 21, 25			7			4	
29, 30			9,13			4	
23, 28, 32			16		8		7
17		16			8		7
1	14				7		
2	16				8		

















52.1729.420.00 STR, Bl. 2 (02)
 BF 1800/5







ST14: Bei Stellung A - B ohne G1 (Lagerfunktion)
Bei Stellung B - C G1 eingebaut (Betriebsfunktion)

