

ALINCO DR-150

By performing these modifications herein, the user of the unit should be aware that:

- The frequency after the modification may be illegal and become subject to penalty. Check your local regulations before to modify and use.
- The manufacture's original warranty is considered void after the modification. Use of service manuals and adequate tools and/or instruments may be required.
- In case of handheld transceivers the use of original rubber antenna may cause trouble to the unit due to the higher SWR ratio after modification, especially for high-power transmission. Replace it with the one tuned to desired frequency range.
- Alinco, Inc. is not responsible of any consequence of users' having performed these modifications. The dealer or final users are solely responsible of all the eventual illegal operation of the devices and/or units illegally modified. Availability of models may vary market to market.
- Alinco, Inc. is not responsible of any consequence of users' having performed these modifications. The dealer or final users are solely responsible of all the eventual illegal operation of the devices and/or units illegally modified. Availability of models may vary market to market.

CAUTION:

All memory data will be erased by executing RESET operation.
Range 800 - 998.990 MHz is available only to modify the DR-150E.

To extend the frequency range of the transceiver, you need::

RX EXPANSION:

Remove the **RED** jumper wire and make a general **RESET*** radio.
Range expands from 430.000 - 511.995 MHz. This modification will not affect the range of VHF and AIRBAND.

TX EXPANSION:

Remove the **BLUE** wire jumper and make **RESET*** radio.
The range expands from 130.000 - 173.995 MHz.

*** RESET:**

Press and hold down the "F" key and turn on the power.