TECHNICAL MANUAL

ORGANIZATIONAL, DIRECT SUPPORT
AND GENERAL SUPPORT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LIST
(INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)
FOR

MAST AB-903/G (NSN 5985-00-933-2197)

Distribution authorized to the Department of Defense and DOD contrators only for official use or for administration or operational purposes. This determination was made on 19 September 1988. Other requests for this document will be referred to Commander, US Army Communications-Electronics Command and Port Monmouth, ATTN: AMSEL-LC-ME-P, Fort Monmouth, MI 07703-5000.

DESTRUCTION NOTICE – Destroy by any method that will prevet disclosure of contents or roconstruction of the document.

HEADQUARTERS, DEPARTMENT OF THE ARMY
1 JANUARY 1989

Technical Manual

HEADQUARTERS
DEPARTMENT OF THE ARMY
Washington, DC, 1 January 1989

No. 11-5985-263-24P

ORGANIZATIONAL , DIRECT SUPPORT AND GENERAL SUPPORT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST (INCLUDING DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS)

FOR

MAST AB-903/G (NSN 5985-00-933-2197)

Current as of 1 October 1988

REPORTING ERRORS AND RECOMMENDING IMPROVEMENTS

You can help improve this manual. If you find any mistakes or if you know of a way to improve the procedures, please let us know. Mail your letter, DA Form 2028 (Recommended Changes to Publications and Blank Forms), or DA Form 2028-2 located in back of this manual direct to: Commander, US Army Communications-Electronics Command and Fort Monmouth, ATTN: AMSEL-LC-ME-PS, Fort Monmouth, New Jersey 07703-5000. In either case, a reply will be furnished direct to you.

Table of Contents

			Page	Illus/ Figure
Section	I. II.	Introduction	1 1-1	
Group	00 01	Mast AB-903/G		1
Section	III.	Assemblies	2-1	2
	IV.	Cross-Reference Indexes National Stock Number Index Part Number Index Figure and Item Number Index		

^{*}This manual supersedes TM 11-5985-263-24P, 30 June 1983.

SECTION I

INTRODUCTION

1. Scope

This manual lists and authorizes spares and repair parts; special tools; special test, measurement, and diagnostic equipment (TMDE); and other special support equipment required for performance of organizational, direct support, and general support maintenance of the AB-903/G. It authorizes the requisitioning, issue, and disposition of spares, repair parts and special tools as indicated by the source, maintenance and recoverability (SMR) codes.

2. General


This Repair Parts and Special Tools List is divided into the following sections:

- <u>a Section II. Repair Parts List.</u> A list of spares and repair parts authorized by this RPSTL for use in the performance of maintenance. The list also includes parts which must be removed for replacement of the authorized parts. Parts list are composed of functional groups in ascending item number sequence. Figure numbers are listed directly beneath the group header.
 - <u>b</u> <u>Section III. Special Tools List.</u> Not applicable.
- E. Section IV. Cross-Reference Indexes. A list, in National item identification number (NIIN) sequence, of all National stock numbered items appearing in the listing, followed by a list in alphameric sequence of all part numbers appearing in the listings. National stock numbers and part numbers are cross-referenced to each illustration figure and item number appearance. The figure number and item number index lists figure and item numbers in numeric sequence and cross-references National stock number, Federal Supply Code for Manufacturer and part numbers.

3. Explanation of Columns (Section II and III)

<u>a. Item No. (Column (1)).</u> Indicates the number used to identify items called out in the illustration.

<u>b. SMR Code (Column (2)).</u> The source, maintenance, and recoverability (SMR) code is a five-position code containing supply/requisitioning information, maintenance category authorization criteria, and disposition instruction, as shown in the following breakout:



NOTE

Complete repair: Maintenance capacity, capability, and authority to perform all corrective maintenance tasks of the "repair" function in a use/user environment in order to restore serviceability to a failed item.

(1) <u>Source code.</u> The source code tells you how to get an item needed for maintenance, repair, or overhaul of an end item/equipment. Explanations of source codes follows:

<u>Code</u>	<u>Explanation</u>		
PA PB PC PD PE PF PG	Stocked items: use the applicable NSN to request/requisition items with these source codes. They are authorized to the category indicated by the code entered in the third position of the SMR code.		
PG	NOTE		
	Items coded PC are subject to deterioration.		
KD KF KB	Items with these codes are not to be requested/requisitioned individually. They are part of a kit which is authorized to the maintenance category indicated in the third position of the SMR code. The complete kit must be requestioned and applied.		

Code

MO - Made at org/AVUM category

MF - Made at DS/AVIM category

MH - Made at GS category

ML - Made at
Specialized
Repair
Activity
(SRA)

MD - Made at Depot

AO - Assembled by org/AVUM category

AF - Assembled by DS/AVIM category

AH - Assembled by GS category

AL - Assembled by SRA

AD - Assembled by Depot

Explanation

Items with these codes are not to be requested/requisitioned individually. They must be made from bulk material which is identified by the part number in the description and usable on code (UOC) column and listed in the Bulk Material group of the repair parts list. If the item is authorized to you by the third position code of the SMR code, but the source code indicates it is made at a higher category, order the item from the higher category of maintenance.

Items with these codes are not to be requested/requisitioned individually. The parts that make up the assembled item must be requisitioned or fabricated and assembled at the category of maintenance indicated by the source code. If the third position code of the SMR code authorizes you to replace the item, but the source code indicates the item is assembled at a higher category, order the item from the higher category of maintenance.

Code

Explanation

- XA Do not requisition an "XA" coded item. Order its next higher assembly.
- XC Installation drawing, diagram, instruction sheet, field service drawing, that is identified by manufacturer's part number.
- XD Item is not stocked. Order an "XD" coded item through normal supply channels using the FSCM and part number given, if not available.

NOTE

Cannibalization or controlled exchange, when authorized, may be used as a source of supply for items with the above source codes, except for those source coded "XA" or those aircraft support items restricted by requirements of AR 750-1.

- (2) <u>Maintenance code.</u> Maintenance codes tell you the category of maintenance authorized to USE and REPAIR support items. The maintenance codes are entered in the third and fourth positions of the SMR code as follows:
- (a) The maintenance code entered in the third position tells you the lowest maintenance category authorized to remove, replace, and use an item. The maintenance code entered in the third position will indicate authorization to one of the following categories of maintenance.

Code

Application/Explanation

- C Crew or operator maintenance done within organizational or aviation maintenance.
- Organizational or aviation unit category can remove, replace, and use the item.
- F Direct support or aviation intermediate category can remove, replace, and use the item.
- H General support category can remove, replace, and use the item.
- L Specialized repair activity can remove, replace, and use the item.
- D Depot category can remove, replace, and use the item.
- (b) The maintenance code entered in the fourth position tells whether or not the item is to be repaired and identifies the lowest maintenance category with the capability to do complete repair (i.e., perform all authorized repair functions). This position will contain one of the following maintenance codes.

NOTE

Some limited repair may be done on the item at a lower category of maintenance, if authorized by the Maintenance Allocation Chart (MAC) and SMR codes.

Code

Application/Explanation

- 0 Organizational or aviation unit is the lowest category that can do complete repair of the item.
- F Direct support or aviation intermediate is the loest category that can do complete repair of the item.
- H General support is the lowest category that can do complete repair of the item.
- L Specialized repair activity (designate the specialized repair activity) is the lowest category that can do complete repair of the item.
- D Depot is the lowest category that can do complete repair of the item.

Code

Application/Explanation

- Z Nonreparable. No repair is authorized.
- B No repair is authorized. (No parts or special tools are authorized for the maintenance of a "B" coded item.)

 However, the item may be reconditioned by adjusting, lubricating, etc., at the user category.
- (3) <u>Recoverability code.</u> Recoverability codes are assigned to items to indicate the disposition action on unserviceable items. The recoverability code is entered in the fifth position of the SMR Code as follows:

Recoverability

codes

Application/Explanation

- Nonreparable item. When unserviceable, condemn and dispose of the item at the category of maintenance shown in the third position of SMR code.
- O Reparable item. When uneconomically reparable, condemn and dispose of the item at organizational or aviation unit category.
- F Reparable item. When uneconomically reparable, condemn and dispose of the item at direct support or aviation intermediate category.
- H Reparable item. When uneconomically reparable, condemn and dispose of the item at general support category.
- D Reparable item. When beyond lower category repair capability, return to depot. Condemnation and disposal of item not authorized below depot category.
- L Reparable item. Condemnation and disposal not authorized below specialized repair activity (SRA).
- A Item requires special handling or condemnation procedures because of specific reasons (e.g., precious metal content, high dollar value, critical material, or hazardous material). Refer appropriate manuals/directives for specific instructions.
- <u>C.</u> <u>FSCM (Column (3)).</u> The Federal Supply Code for Manufacturer (FSCM) is a 5-digit numeric code which is used to identify the manufacturer, distributor, or Government agency, etc., that supPlies the item.
- <u>d.</u> (Part Number Column (4)). Indicates the primary number used by The manufacturer (individual, company, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of items.

NOTE

When you use an NSN to requisition an item, the item you receive may have a different part number from the part ordered.

- <u>e.</u> <u>Description and Usable on Code (UOC) (Column</u> (5)). This column includes the following information.
- (1) The Federal item name and, when required, a minimum description to identify the item.
- (2) The statement "END OF FIGURE" appears just below the last item description in Column (5) for a given figure in both section 11 and section III
- f. Oty(Column (6)). Indicates the quantity of the item used in the 'breakout' shown on the illustration figure, which is prepared for a functional group, subfunctional group, or an assembly. A "V" appearing in this column in lieu of a quantity indicates that the quantity is variable and the quantity may vary from application to application.
- 4. Explanation of Columns (Section IV)

a. National Stock Number (NSN) Index.

- (1) Stock number column. This column lists the NSN by National item identification number (NIIN) sequence. The NIIN consists of the last nine digits of the NSN. When using this column to locate an item, ignore the first four digits of the NSN. When requisitioning items use the complete NSN (13 digits).
- (2) <u>Fig. column.</u> This column lists the number of the figure where the item is identified/located. The illustrations are in numerical sequence in sections II and III.
- (3) <u>Item column.</u> The item number identifies the item associated with the figure listed in the adjacent Fig. column. This item is also identified by the NSN listed on the same line.
- <u>b. Part Number Index.</u> Part numbers in this index are listed by part-number in ascending alphameric sequence.
- (1) <u>FSCM column.</u> This column lists the Federal supply code for manufacturer.
- (2) <u>Part number column.</u> This column indicates the part number assigned to the item.
- (3) <u>Stock number column.</u> This column lists the National stock number for the associated part number and manufacturer identified in the part number and FSCM columns to the left.
- (4) <u>Fig. column.</u> This column lists the number of the figure where the item is identified/located in sections II and III.
- (5) $\underline{\text{Item column.}}$ The item number is that number assigned to the item as it appears in the figure referenced in the adjacent figure number column.

- c. Figure and Item Number Index.
- (1) Fig. column. This column lists the number of the figure where the item is identified/located in sections 11 and 111.
- The item number is that number assigned to (2) <u>Item column.</u> item as it appears in the figure referenced in the adjacent figure number column.
- Stock number column. This column lists the National stock number for the item.
- The Federal supply code for manufacturer (4) FSCM column. (FSCM) is a 5-digit numeric code used to identify the manufacturer, distributor, or Government agency, etc., that supplies the item.
- (5) <u>Part number column.</u> Indicates the primary number used by manufacturer (individual, firm, corporation, or Government activity), which controls the design and characteristics of the item by means of its engineering drawings, specifications, standards, and inspection requirements to identify an item or range of item.

5. Special Information

Associated Publications. The following publication pertains to the AB-903/G and its components:

TM 11-5985-263-15, Mast AB-903/G

National Stock Numbers. National stock numbers (NSN's) that are missing from P source coded items have been applied for and will be added to this TM by future change/revision when they are entered the Army Master Data File (AMDF). Until the NSN's are established and published, submit exception requisitions to: Commander, US Army Communications-Electronics Command and Fort Monmouth, AMSEL-LC-MM, Fort Monmouth, NJ 07703-5000 for the part to support your equipment.

6. How to Locate Repair Parts

- <u>a.</u> When National stock number or part number is not known. (1) <u>First.</u> Using the table of contents, determine the assembly group or subassembly group to which the item belongs. necessary since figures are prepared for assembly groups and subassembly groups, and listings are divided into the same groups.
- Find the figure covering the assembly group or (2) <u>Second</u>. subassembly group to which the item belongs.
- (3) <u>Third.</u> Identify the item on the figure and note the item number.
- (4) Fourth. Refer to the Repair Parts List for the figure to find the part number for the item number noted on the figure.
- (5) Fifth. Refer to the Part Number Index to find the NSN, if assigned.

- b. When National stock number or part number is known.
- (1) First. Using the index of National stock numbers and part numbers, find the pertinent National stock number or part number. The NSN index is in National item identification number (NIIN) sequence (para 4a(1)). The part numbers in the part number index are listed in ascending alphameric sequence (para 4b). Both indexes cross-reference you to the illustration figure and item number of the item you are looking for.
- (2) <u>Second.</u> After finding the figure and item number, verify that the item is the one you're looking for, then locate the item number in the repair parts list for the figure.

7. Abbreviations

Not applicable.




Figure 1. Mast AB-903/G Major Components (Sht 1 of 2)





Figure 1. Mast AB-903/G Major Components (Sht 2 of 2)


(1) ITEM	(2) SMR	(3)	(4) PART	(5)	(6)
NO	CODE	FSCM	NUMBER	DESCRIPTION AND USABLE ON CODE (UOC)	QTY
				GROUP 00 MAST AB-903/G	
				FIGURE 1	
1	PAOZZ	80063	SM-D-493216	GUY ASSY-LOWER	3
2	PAOZZ	80063	SM-D-493220	BAG ASSY, STORAGE	1
3	РАННН	80063	SM-E-493209	MAST ASSEMBLY	1
4	PAOZZ	80063	SM-D-493218	STAKE, GUY	3
5	PAOZZ	80063	SM-D-493217	GUY ASSY-UPPER	3
6	PAOZZ	80063	SM-C-493215	PLATE, BASE, MAST	1
7	PAOZZ	80063	SM-C-493219	STRAP ASSY, CPSE WIR	1
8	PAOZZ	80063	SM-B-493213	WIRE ASSY CPSE	1
9	PAOZZ	80063	SM-D-493210	ADAPTER ASSEMBLY	1
10	PAOZZ	80063	SM-C-493211	TUBE ASSY CPSE	3
11	PAOZZ	80063	SM-C-493212	TUBE ASSY CPSE	1
12	PAOZZ	80063	SM-C-493214	GUIDE, CPSE TUBE	1

TM11-5985-263-24P

SECTION II

END OF FIGURE





LOWER END





Figure 2. Mast AB-903/G, Telescopic Assemblies (Sht 1 of 4)






Figure 2. Mast AB-903/G, Telescopic Assemblies (Sht 2 of 4)




Figure 2. Mast AB-903/G, Telescopic Assemblies (Sht 3 of 4)




Figure 2. Mast AB-903/G, Telescopic Assemblies (Sht 4 of 4)

(1) ITEM	(2) SMR	(3)	(4) PART	(5)	(6)
NO	CODE	FSCM	NUMBER	DESCRIPTION AND USABLE ON CODE (UOC)	QTY
				GROUP 01 MAST AB-903/G TELESCOPIC ASSEMBLIES	
				FIGURE 2	
1	PAHZZ	80063	SM-D-493226	MAST SECT ASSY, NO.6	1
2	PAHZZ	80063	SM-D-493225	MAST SECT ASSY, NO.5	1
3	PAHZZ	80063	SM-D-493224	MAST SECT ASSY, NO. 4	1
4	PAHZZ	80063	SM-D-493223	MAST SECT ASSY, NO. 3	1
5	PAHZZ	80063	SM-D-493222	MAST SECT ASSY, NO. 2	1
6	PAHZZ	80063	SM-D-493221	MAST SECT ASSY, NO.1	1
7	PAHZZ	80063	SM-B-493293	LINE, RADIO FREQUENC	1
8	PAHZZ	96906	MS24693C26	SCREW, MACHINE	4
9	PAHZZ	80063	SM-D-493262	CAP, BASE	1
10	PAHZZ	96906	MS24694C102	SCREW, MACHINE	2
11	PAHZZ	96906	MS16562-230	PIN, SPRING	3
12	PAHZZ	88044	AN315C6R	NUT, PLAIN	2
13	PAHZZ	96906	MS35338-141	WASHER, LOCK	2
14	PAHZZ	80063	SM-C-493315	SHAFT, REEL	1
15	PAHZZ	80063	SM-B-493329	RETAINER, CABLE	1
16	PAHZZ PAHZZ	96906	MS24693C29	SCREW, MACHINE	2
17		96906	MS51957C26	SCREW, ROUND HEAD	12
18 19	PAHZZ PAHZZ	80063 96906	SM-D-493345 MS20470B4-4	COVER, DUSTY,	1 4
20	PAHZZ	80063	SM-C-493353	RIVET, SOLID PLATE, IDENT	1
21	PAHZZ	88044	AN960C8161	WASHER, FLAT	5
22	PAHZZ	80063	SM-C-493323	GEAR, SPUR	1
23	PAHZZ	80063	SM-C-493344	SPACER, RING	2
24	PAHZZ	80063	SM-D-493346	HANDLE ASSEMBLY	1
25	PAHZZ	80063	SM-D-493313	SUPPORT, SIDE WINCH	1
26	PAHZZ	88044	AN4C3A	BOLT	6
27	PAHZZ	88044	AN960C4161	WASHER, FLAT	6
28	PAHZZ	80063	SM-D-493312	SUPPORT, SIDE WINCH	1
29	PAHZZ	88044	AN3C5A	BOLT, MACHINE	3
30	PAHZZ	80063	SM-D-493335	BRAKE ASSEMBLY	1
31	PAHZZ	80063	SM-C-493319	PULLEY ASSEY, GUIDE	1
32	PAHZZ	80063	SM-C-493316	SHAFT, HANDLE	1
33	PAHZZ	96906	MS16562-224	PIN, SPRING	1
34	PAHZZ	80063	FS-04	CLUTCH	1
35	PAHZZ	80063	SM-B-493322	GEAR, TRANSFER	1
36	PAHZZ	80063	SM-B-493317	KEY, GEAR-TRANSFER	1
37	PAHZZ	80063	SM-C-493314	SHAFT, INTERMEDIATE	1
38	PAHZZ	80063	FF-600-2	BUSHING	1
39	PAHZZ	80063	SM-C-493320	GEAR, SPUR	1
40	PAHZZ	80063	SM-D-493325	REEL ASSEMBLY	1
41	PAHZZ	80063	SM-C-493352	PLATE, INSTRUCTION	1
42	PAHZZ	80063	SM-C-493363	CAUTION PLATE	1
43	PAHZZ	80063	FF-636-3	BUSHING	1
44	PAHZZ	80063	SM-B-493324	WASHER, SPACING	3
45	PAHZZ	96906	MS16624-4050	RING, RETAINING	8
46	PAHZZ	80063	SM-C-493321	GEAR, SPUR	1
47	PAHZZ	96906	MS35338-138	WASHER, LOCK	5

SECTION II TM11-5985-263-24P

(1)	(2)	(3)	(4)	(5)	(6)
ITEM	SMR		PART		
NO	CODE	FSCM	NUMBER	DESCRIPTION AND USABLE ON CODE (UOC)	QTY
					_
48	PAHZZ	88044	AN315C3R	NUT, PLAIN	5
49	PAHZZ	96906	MS24693C273	SCREW, MACHINE	2
50	PAHZZ	80063	SM-C-493330	PLUNGER ASSEMBLY	1
51	PAHZZ	80063	SM-B-493318	KEY, GEAR	2
52	PAHZZ	80063	SM-C-493261	RING ASSY, GUY	1
53	PAHZZ	80063	SM-B-493268	COVER, DUST	1
54	PAHZZ	80063	SM-B-493267	COVER, DUST	1
55	PAHZZ	96906	MS51957C25	SCREW, ROUND HEAD	10
56	PAHZZ	80063	SM-C-493266	COVER, DUST	1
57	PAHZZ	80063	SM-C-493272	LATCH ASSEMBLY	1
58	PAHZZ	96906	MS51958C60	SCREW, ROUND HEAD	2
59	PAHZZ	80063	SM-B-493270	COVER, DUST	1
60	PAHZZ	96906	MS51957C28	SCREW, ROUND HEAD	2
61	PAHZZ	80063	SM-B-493304	SPACER, UPPER HOUSIN	1
62	PAHZZ	80063	SM-B-493269	COVER, DUST	1
63	PAHZZ	96906	MS24693C25	SCREW, MACHINE	16
64	PAFZZ	80063	SM-B-493271	PIN,STOP	1
65	PAHZZ	85480	NW25-6873	WASHER, FLAT, NYLON	1
66	PAHZZ	80063	SM-B-493265	CLIP, RETAINER	2
67	PAHZZ	96906	MS24693C28	SCREW, MACHINE	4
68	PAHZZ	96906	MS24693C3	SCREW, MACHINE	4
69	PAHZZ	80063	SM-C-493263	CAP ASSY, UPPER	1

END OF FIGURE

SECTION IV TM11-5985-263-24P

CROSS-REFERENCE INDEXES

NATIONAL STOCK NUMBER INDEX

STOCK NUMBER	FIG	ITEM	STOCK	NUMBER	FIG	ITEM
5315-00-058-9765	2	11				
5305-00-066-7327	2	67				
5305-00-082-6774	2	10				
5305-00-088-9665	2	16				
5320-00-119-6823	2	19				
5306-00-150-9527	2	29				
5305-00-225-6400	2	68				
5365-00-804-7645	2	45				
5315-00-841-4442	2	33				
4710-00-933-2183	2	3				
5310-00-933-8120	2	47				
5305-00-958-2918	2	8				
5305-00-959-4158	2	49				
5305-00-969-6495	2	63				
5310-00-984-7042	2	13				
5985-01-193-7380	2	7				

CROSS-REFERENCE INDEXES

PART NUMBER INDEX

FSCM	PART NUMBER	STOCK NUMBER	FIG	ITEM
88044	AN3C5A	5306-00-150-9527	2	29
88044	AN315C3R		2	48
88044	AN315C6R		2	12
88044	AN4C3A		2	26
88044	AN960C4161		2	27
88044	AN960C8161		2	21
80063	FF-600-2		2	38
80063	FF-636-3		2	43
80063	FS-04		2	34
96906	MS16562-224	5315-00-841-4442	2	33
96906	MS16562-230	5315-00-058-9765	2	11
96906	MS16624-4050	5365-00-804-7645	2	45
96906	MS20470B4-4	5320-00-119-6823	2	19
96906	MS24693C25	5305-00-969-6495	2	63
96906	MS24693C26	5305-00-958-2918	2	8
96906	MS24693C273	5305-00-959-4158	2	49
96906	MS24693C28	5305-00-066-7327	2	67
96906	MS24693C29	5305-00-088-9665	2	16
96906	MS24693C3	5305-00-225-6400	2	68
96906	MS24694C102	5305-00-082-6774	2	10
96906	MS35338-138	5310-00-933-8120	2	47
96906	MS35338-141	5310-00-984-7042	2	13
96906	MS51957C25		2	55
96906	MS51957C26		2	17
96906	MS51957C28		2	60
96906	MS51958C60		2	58
85480	NW25-6873		2	65
80063	SM-B-493213		1	8
80063	SM-B-493265		2	66
80063	SM-B-493267		2	54
80063	SM-B-493268		2	53
80063	SM-B-493269		2	62
80063	SM-B-493270		2	59
80063	SM-B-493271		2	64
80063	SM-B-493293	5985-01-193-7380	2	7
80063	SM-B-493304		2	61
80063	SM-B-493317		2	36
80063	SM-B-493318		2	51
80063	SM-B-493322		2	35
80063	SM-B-493324		2	44
80063	SM-B-493329		2	15
80063	SM-C-493211		1	10
80063	SM-C-493212		1	11
80063 80063	SM-C-493214 SM-C-493215		1 1	12 6
80063	SM-C-493215 SM-C-493219		1	7
80063	SM-C-493219 SM-C-493261		2	, 52
80063	SM-C-493261 SM-C-493263		2	52 69
80063	SM-C-493263 SM-C-493266		2	56
80063	SM-C-493270 SM-C-493272		2	57
80063	SM-C-493272 SM-C-493314		2	37
00003	Dir C-493314		ے	J 1

PART NUMBER INDEX

FSCM	PART NUMBER	STOCK NUMBER	FIG	ITEM
80063	SM-C-493315		2	14
80063	SM-C-493316		2	32
80063	SM-C-493319		2	31
80063	SM-C-493320		2	39
80063	SM-C-493321		2	46
80063	SM-C-493323		2	22
80063	SM-C-493330		2	50
80063	SM-C-493344		2	23
80063	SM-C-493352		2	41
80063	SM-C-493353		2	20
80063	SM-C-493363		2	42
80063	SM-D-493210		1	9
80063	SM-D-493216		1	1
80063	SM-D-493217		1	5
80063	SM-D-493218		1	4
80063	SM-D-493220		1	2
80063	SM-D-493221		2	6
80063	SM-D-493222		2	5
80063	SM-D-493223		2	4
80063	SM-D-493224	4710-00-933-2183	2	3
80063	SM-D-493225		2	2
80063	SM-D-493226		2	1
80063	SM-D-493262		2	9
80063	SM-D-493312		2	28
80063	SM-D-493313		2	25
80063	SM-D-493325		2	40
80063	SM-D-493335		2	30
80063	SM-D-493345		2	18
80063	SM-D-493346		2	24
80063	SM-E-493209		1	3

SECTION IV TM11-5985-263-24P CROSS-REFERENCE INDEXES FIGURE AND ITEM NUMBER INDEX FIG ITEM STOCK NUMBER FSCM PART NUMBER 80063 SM-D-493216 SM-D-493220 SM-E-493209 SM-D-493218 SM-D-493217 80063 SM-C-493215 80063 SM-C-493219 80063 SM-B-493213 SM-D-493210 SM-C-493211 80063 SM-C-493212 SM-C-493214 SM-D-493226 80063 SM-D-493225 4710-00-933-2183 SM-D-493224 80063 SM-D-493223 80063 SM-D-493222 80063 SM-D-493221 5985-01-193-7380 80063 SM-B-493293 5305-00-958-2918 MS24693C26 SM-D-493262 1.0 5305-00-082-6774 96906 MS24694C102 5315-00-058-9765 96906 MS16562-230 88044 AN315C6R 5310-00-984-7042 MS35338-141 SM-C-493315 SM-B-493329 96906 MS24693C29 5305-00-088-9665 96906 MS51957C26 80063 SM-D-493345 5320-00-119-6823 MS20470B4-4 SM-C-493353 AN960C8161 SM-C-493323 SM-C-493344 2.4 SM-D-493346 SM-D-493313

5306-00-150-9527

5315-00-841-4442

2.7

AN4C3A

SM-D-493335

SM-C-493319

SM-C-493316

SM-B-493317

SM-C-493314

88044 AN960C4161

88044 AN3C5A

80063 FS-04

80063 SM-D-493312

96906 MS16562-224

80063 SM-B-493322

80063 SM-C-493320

80063 FF-600-2

SECTION IV TM11-5985-263-24P CROSS-REFERENCE INDEXES

		FIGURE AND ITEM NUMBER	R INDEX	
FIG	ITEM	STOCK NUMBER	FSCM	PART NUMBER
2	40		80063	SM-D-493325
2	41		80063	SM-C-493352
2	42		80063	SM-C-493363
2	43		80063	FF-636-3
2	44		80063	SM-B-493324
2	45	5365-00-804-7645	96906	MS16624-4050
2	46	3303-00-004-7043	80063	SM-C-493321
2	47	5310-00-933-8120	96906	MS35338-138
2	48	3310 00 333 0120	88044	AN315C3R
2	49	5305-00-959-4158	96906	MS24693C273
2	50	5565 66 555 1156	80063	SM-C-493330
2	51		80063	SM-B-493318
2	52		80063	SM-C-493261
2	53		80063	SM-B-493268
2	54		80063	SM-B-493267
2	55		96906	MS51957C25
2	56		80063	SM-C-493266
2	57		80063	SM-C-493272
2	58		96906	MS51958C60
2	59		80063	SM-B-493270
2	60		96906	MS51957C28
2	61		80063	SM-B-493304
2	62		80063	SM-B-493269
2	63	5305-00-969-6495	96906	MS24693C25
2	64		80063	SM-B-493271
2	65		85480	NW25-6873
2	66		80063	SM-B-493265
2	67	5305-00-066-7327	96906	MS24693C28
2	68	5305-00-225-6400	96906	MS24693C3
2	69		80063	SM-C-493263

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS



SOMETHING WRONG WITH THIS PUBLICATION?

THEN. JOT DOWN THE DOPE ABOUT IT ON THIS FORM, CAREFULLY TEAR IT OUT, FOLD IT AND DROP IT IN THE MAIL! FROM (PRINT YOUR UNIT'S COMPLETE ADDRESS)
Commander
Stateside Army Depot
ATTN: AMSTA-US
Stateside, N.J. 07703-5007

DATE SENT

10 July 1975

PUBLICATION NUMBER

PUBLICATION DATE

PUBLICATION TITLE

23 Jan 78

Radar Set AN/PRC-76

· OBEIO/ · · · ON · · OMBEI									
TM 11-5840-340-20P									
BE EXACT PIN-POINT WHERE IT IS									
PAGE NO	PARA- GRAPH	FIGURE NO	TABLE NO						
33]					
44		19]					
45				I I					

IN THIS SPACE TELL WHAT IS WRONG AND WHAT SHOULD BE DONE ABOUT IT:

For item 2, change the NSN to read: 5835-00-134-9186. Reason: Accuracy.

Reason: It is a separate item and s not called out on figure 19.

Add the cover of the junction box as an item in the listing for figure 19.

Reason: Same as above



PRINTED NAME GRADE OR TITLE AND TELEPHONE NUMBER
SSG I. M. DeSpirit of 999-1776

SIGN HERE

DA 1 JUL 79 2028-2

PREVIOUS EDITIONS ARE OBSOLETE.

PS -- IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPY OF THIS AND GIVE IT TO YOUR HEADQUARTERS

TEAR ALONG PERFORATED LINI

FILL	·s'	ADDR	JR ESS
	₹	7-	

FOLD BACK

DEPARTMENT OF THE ARMY

OFFICIAL BUSINESS

AMPLE Commander

US Army Communications-Electronics Command and Fort Monmouth

ATTN: AMSEL-LC-ME-PS

Fort Monmouth, New Jersey 07703-5000


RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

17	5				SOMETI		WRONG WITH THIS PUBLICATION?		
			DOPE A FORM. (IT OUT	BOUT I CAREFU , FOLI	OWN THE TON THIS ULLY TEAR O IT AND E MAIL.	PROM DATE	A: (PRINT YOUR UNIT'S COMPLETE ADDRESS SENT		
PUBLICATION NUMBER PUBLICATION DATE PUBLICATION TITLE									
	1-5985		1 P		1 January		Mast AB-903/G		
BE EXA	CT PIN-I	POINT WH	ERE IT IS	1	SPACE TELL WHAT SHOULD BE		•		
NO.	GRAPH	NO.	NO.						
PRINTED NA	PRINTED NAME GRADE OR TITLE AND TELEPHONE NUMBER						RE		
DA FORM 2028-2 PREVIOUS EDITIONS ARE OBSOLETE							SIF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR		

TEAR ALONG PERFORATED LINE

ARE OBSOLETE

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPE OF THIS AND GIVE IT TO YOUR HEADQUARTERS.



Commander
US Army Communications-Electronics Command and Fort Monmouth
ATTN: AMSEL-LC-ME-PS
Fort Monmouth, New Jersey 07703-5000

TEAR ALONG PERFORATED LINE

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAE POBEICATIONS						
	\		SOMETI	NING	WRONG WITH THIS PUBLICATION?	
		JOT D	FROM	: (PRINT YOUR UNIT'S COMPLETE ADDRESS		
	FORM.	CAREFU	ULLY TEAR			
		IT IN TH	DATE	SENT		
PUBLICATION NUMB TM 11-5985-			PUBLICATION DATE PUBLICATION TITLE 1 January 89 Mast AB-903/G			
	OINT WHERE IT IS	T.,, .,,,,	L			
PAGE PARA- NO. GRAPH	FIGURE TABLE NO. NO.		SPACE TELL WH HAT SHOULD BE		·	
		1				
PRINTED NAME GRADE OR TITLE AND TELEPHONE NUMBER SIGN HERE						

DA 1 JUL 79 2028-2

TEAR ALONG PERFORATED LINE -

PREVIOUS EDITIONS ARE OBSOLETE

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPE OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR UNIT'S ADDRESS
DEPARTMENT OF THE ARMY
OFFICIAL BUSINESS

Commander
US Army Communications-Electronics Command and Fort Monmouth
ATTN: AMSEL-LC-ME-PS
Fort Monmouth, New Jersey 07703-5000

FOLD BACK

RECOMMENDED CHANGES TO EQUIPMENT TECHNICAL PUBLICATIONS

	The state of the s									
	SOMETHING WRONG WITH THIS PUBLICATION?									
	THENJOT DOWN THE									
	DOPE ABOUT IT ON THIS FORM. CAREFULLY TEAR									
	IT OUT, FOLD IT AND DATE SENT									
DROF II IN THE MAIL.										
		1-5985		1 P		1 January		PUBLICATION TITLE Mast AB-903/G		
	BE EXA	CT PIN-F	OINT WHI	ERE IT IS	101 2016	<u> </u>				
ijl	PAGE NO.	PARA- GRAPH	FIGURE NO.	TABLE NO.		SPACE TELL WH HAT SHOULD BE				
	NO.	OKAP II		—						
LINE										
RATEL										
ERFO										
TEAR ALONG PERFORATED LINE										
AR AL										
TE										
П										
		Į								
	PRINTED NA	ME GRADE OI	R TITLE AND T	ELEPHONE NU	MBER	T	SIGN HE	RE		
						l		i		
						1				

DA , 508M 2028-2

PREVIOUS EDITIONS ARE OBSOLETE

P.S.--IF YOUR OUTFIT WANTS TO KNOW ABOUT YOUR RECOMMENDATION MAKE A CARBON COPE OF THIS AND GIVE IT TO YOUR HEADQUARTERS.

FILL IN YOUR UNIT'S ADDRESS						
DEPARTMENT OF THE ARMY						
OFFICIAL BUSINESS						

Commander
US Army Communications-Electronics Command
and Fort Monmouth
ATTN: AMSEL-LC-ME-PS
Fort Monmouth, New Jersey 07703-5000

FOLD BACK

By Order of the Secretary of the Army:

CARL E. VUONO General, United States Army Chief of Staff

Official:

R.L. DILWORTH Brigadier General, United States Army The Adjutant General

DI STRI BUTI ON:

To be distributed in accordance with DA Form 12-51 unit and DS/GS requirements for AB-903/G.

☆U.S GOVERNMENT PRINTING OFFICE: 1996 - 406-421/51043

PIN: 053376-000