



EXPORT WIRING

* FOR "230V" VERSIONS REVERSE THE BLUE/WHITE AND THE BLACK TRANSFORMER LEAD.

DESIGNATOR	PART #	DESCRIPTION
C1	10-332-01	.0033 UL
C2	10-332-01	.0033 UL
FH1	23-346-01	FUSE HOLDER
J1	17-604-01	LINE-CORD CONNECTOR
J2	51-149-01	GNDLUG
J3	NOT USED	
J4	17-836-01	.250 TAB
J5	17-836-01	.250 TAB
J6	17-836-01	.250 TAB
J7	17-836-01	.250 TAB
J8	17-836-01	.250 TAB
J9	17-836-01	.250 TAB
J10	17-836-01	.250 TAB
J11	17-836-01	.250 TAB
J12	17-836-01	.250 TAB
J13	17-836-01	.250 TAB
J14	17-836-01	.250 TAB
ICL1	73-501-10	10 ohms

QTY	MISC.	DESCRIPTION
2	30-638-53	6-32 x 3/8" SCREW
2	30-700-01	6-32 HEX KEPNUT ASSY
1	06A327-01	PC BOARD

3	6-22-98	RLB	ADDED ICL1 TO P/L.PCB AND SCHEMATIC PER ECO 980346	
2	09/10/97	SWR	ADDED J14. PER ECO #970424.	
1	02/03/94	SWR	ADDED VOLTAGE FOR DOMESTIC TRANSFORMER PER ECO #E039	
REV	DATE	BY	CHK'D	DESCRIPTION
SIGNATURES:		DATE:		 11880 BORMAN DR. ST. LOUIS, MISSOURI 63146
DRAWN: S.RADER		11/12/93		
CHK'D: GM		07/01/98		
APP'D: GM		07/01/98		
ORIGINAL ISSUED: 11/12/93				DRAWING NAME:
PLOT DATE: 07/02/98				A.C. TERM. BD. PICT.
PLOT TIME: 10:12:23				DRAWING NO. 07P327-01 REV 3_
FILE NAME: 32701P3_				SCALE: 1:1 SHEET: 1 OF 1