




INPUTS SHEET 6




SIDECHAIN SHEET 3




PROGRAM SHEET 5



VALVE/METER SHEET 4



PSU SHEET 2



NOTES FOR QUALIFIED SERVICE ENGINEERS


The following voltages exist within this unit under normal working circumstances: 230V (115V) AC Mains and 110V DC.
These voltages may take several minutes to decay after the unit is switched off.

CARE MUST BE TAKEN WHEN FAULT FINDING.

DO NOT handle the PCB while the unit is connected to the Mains Supply.
DO NOT use screws with different type or length than those currently fitted.
DO NOT remove EARTH wires under any circumstances.
REPLACE all covers removed during servicing.
During reassembly DO NOT allow wires to be trapped.



IF IN DOUBT RETURN UNIT TO SUPPLIER.

TL Audio		
COPYRIGHT 2001		
Title		
FAT2 PRE-AMP/COMPRESSOR		
Size Document Number		
B	CD1175	REV 3
Date:	April 27, 2001	Sheet 1 of 6



Title T L Audio
 Copyright 2001
 FAT2 PRE-AMP/COMPRESSOR
 Size Document Number CD1175
 Date: April 27, 2001 Sheet 3 of 3


4016: LOGIC 1 = SWITCH ON




Title		TL Audio
Circuit		Complight 2001
Size		FAT2 PRE-AMP/COMPRESSOR
Document Number		CD1175
REV		B
REV		3
Date:		April 27, 2001 Sheet 4 of 6

PROGRAM

6
5
4
3
2
13
14
10
1




7
4
8
3
1
15
11
16




PROGRAM

6
5
4
3
2
13
14
10
1




7
4
8
3
1
15
11
16




PROGRAM



6
5
4
3
2
13
14
10
1



7
4
8
3
1
15
11
16



PROGRAM SELECT



SW1 OUTPUT

↓
CW

PROGRAM	A3	A2	A1	A0
MANUAL (16) (FLAT AT TOP)	1	1	1	1
1	0	1	1	1
2	0	0	1	1
3	1	0	1	1
4	1	0	0	1
5	0	0	0	1
6	0	0	0	0
7	1	0	0	0
8	1	0	1	0
9	0	0	1	0
10	0	1	1	0
11	1	1	1	0
12	1	1	0	0
13	0	1	0	0
14	0	1	0	1
15	1	1	0	1

